



भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS

Jaipur Branch Office

Address: Manak Bhawan
Prithviraj Road, C-Scheme-
Jaipur 302005

Phones : 0141-2223282, 2223283, 2223284
Fax: 0141-2223286
E-Mail: jbo@bis.org.in
web : http://www.bis.org.in

ATTACHMENT TO LICENCE NO. CM/L- 8567702

CML/NO	NAME OF THE LICENSEE WITH THE ADDRESS	NAME OF THE PRODUCT	IS NO.
8567702	Tijaria Polypipes Limited A-130(E), Road No. 9D, Vishwakarma Industrial Area Distt : Jaipur Rajasthan 302013	UPVC pipes for soil and waste discharge systems inside buildings including ventilation and rainwater system	IS 13592 : 1992

ENDORSEMENT NO. 11 Dated 01-11-2010

Renewed for a further period of one year from **First October Two Thousand Ten to Thirtieth September Two Thousand Eleven**

Other terms and conditions of Licence remain the same.


(N L DHAYAL)
Scientist E (Director)



भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS

Jaipur Branch Office

Address: Manak Bhawan
Prithviraj Road, C-Scheme-
Jaipur 302005

Phones : 0141-2223282, 2223283, 2223284
Fax: 0141-2223286
E-Mail: jbo@bis.org.in
web : <http://www.bis.org.in>

REGISTERED A.D

Our Ref: JBO/L-8762595

Dated: 03J AN 2011

Subject : RENEWAL OF CERTIFICATION MARKS LICENCE NO. CM/L- 8762595
AS PER IS 14151 Part I:1999

M/s Tijaria Polypipes Limited,
A-130(E) Road No 9D, Vishwakarma Ind. Area,
Distt : Jaipur,
Rajasthan--302013

Dear Sir,

This has reference to your BIS Certification Marks License No CM/L- 8762595 held by you for Precast Concrete Pipes (with and without Reinforcement) , which was valid upto 21/11/2010.

As you are aware the renewal of your license was deferred as informed vide our telegram dated 22-11-2010, due to the reasons mentioned in our letter of even numbers dated 22-11-2010. In view of corrective actions taken by you, Competent Authority of BIS decided to renew your above referred license for Two year i.e from 22/11/2010 to 21/11/2012. It has also been decided to allow you to resume marking on your product of the above referred license with immediate effect.

It may please be noted that your licence shall expire at the end of the above mentioned period. You are, therefore, requested to send your application for its renewal at least one month before the expiry of the licence.

The License endorsement sheet is attached herewith.

Thanking you.

Yours faithfully,


(N L DHAYAL)

Scientist E (Director) & Head

Encl : As above



भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS

Jaipur Branch Office

Address: Manak Bhawan
Prithviraj Road, C-Scheme-
Jaipur 302005

Phones : 0141-2223282, 2223283, 2223284
Fax: 0141-2223286
E-Mail: jbo@bis.org.in
web : <http://www.bis.org.in>


ATTACHMENT TO LICENCE NO. CM/L- 8762595

CML/NO	NAME OF THE LICENSEE WITH THE ADDRESS	NAME OF THE PRODUCT	IS NO.
8762595	Tijaria Polypipes Limited A-130(E), Road No.9D, Vishwakarma Industrial Area, Distt : Jaipur Rajasthan 302013	Irrigation Equipment - Sprinkler Pipes - Specification - Part 1 : Polyethylene Pipes	IS 14151 : Part 1 : 1999

ENDORSEMENT NO. 4 Dated...20110110

Renewed for a further period of two years from **Twenty Second November Two Thousand Ten to Twenty First November Two Thousand Twelve.**

Other terms and conditions of Licence remain the same.


(N. L. DHAYAL)
Scientist E (Director & Head)