





P.V.C Rigid Pipes, S.W.R. Pipes, Sprinkler System & Pipes
Blue Casing Pipes & Fittings


PIPING SOLUTIONS













intricate techniques & subtle nuances of their business. An outstanding experience of more then 20 years to their credit in dealing with plastic & related material. Hence they know every minute detail of the product.

Tijaria, though its vision of learning & constant innovation, has become a premium name in the industrial, agriculture, infrastructure, domestic & telecommunication fields.

Tijaria & Vikas are the quality brands of Tijaria Group. Tijaria an ISO 9001-2000 Company has become the largest manufacturer of Plastic extruded pipes in North India with a standing of total commitment towards satisfying their customers with best quality products.

Providing best quality and excellent service to our customer is our motto.

P.V.C Rigid Pipes & Fittings



Pipes Product Range

Usage Pressure Rating

- Conforming to IS 4985
- Selfit 20 mm to 400 mm Plain - 20 mm to 400 mm
- Agricultural, Industrial & Others.
- Available with fabricated fittings in range - 2.5, 4.0, 6.0, 8.0, 10.0 kg./cm²

WAS P.V.C S.W.R Pipes & Fittings



Pipes

Product Range

Usage

- Conforming to IS-13592 (Type-A & Type-B)
- Selfit 40 mm to 160 mm.
 Plain Ring-O-Socket 40mm to 160mm
- Domestic, Industries, Buildings.

151

Rigid P.V.C Elastomeric Pipes







Ring-O-Socket-63 mm to 315 mm

Agricultural, Industrial & Others.

- 2.5, 4.0, 6.0, 8.0, 10.0 kg./cm²



Rigid P.V.C Conduit Pipes



Pipes Product Range Usage

Pressure Rating -

Conforming to IS - 9537 (Part-III)

Selfit-16 mm to 63 mm

Electricity fitting, Cable duct.

Class-Lite, Medium & Heavy



** H. D. P. E. Sprinkler Systems Pipes







Pipes Fittina Product Range

Usage Pressure Rating

Product Range

Pressure Rating

- Conforming to IS 14151 (Part-I)
- Conforming to IS 14151 (Part-II)
- Part-I: 40 mm to 200 mm. Part-I: 40 mm to 200 mm.
- Agricultural, Industrial & Others.
- Class I, II, III, IV.

CRAS H. D. P. E. Pipes & Coils



Grade

Pipes

Usage

- Conforming to IS 4984
- 20 mm to 315 mm
- Agricultural, Industrial & Others.
- 2.5, 4.0, 6.0, 8.0, 10.0, 12.5, 16.0 kg./cm²
- PE-63, PE-80, PE-100

VIRAS H. D. P. E. Sewerage Pipes



Pipes Product Range Usage

Pressure Rating

Conforming to IS - 14333 63 mm to 315 mm

Agricultural, Industrial & Others.

2.5, 4.0, 6.0, 8.0, 10.0, 12.5, 16.0 kq./cm²



Grade

PE-63, PE-80, PE-100





Was Blue Casing Pipes

Pipes Product Range

Usage

Conforming to IS - 12818

100 mm to 200 mm

 Borewell Casing, Tubes Well, Domestic Well, Irrigation Well, Industrial Mines

Pressure Rating - 2.5, 3.2, 4.0, 6.0 kg./cm²

WAS M.D.P. E. Pipes





Pipes - Conforming to ISO - 4427

Product Range - 16mm to 315 mm

Usage - Water Supply, Gas Supply & other

Pressure Rating - 3.2, 4.0, 6.0, 8.0, 10.0m, 12.5 &

16.0 kg./cm²

PE- 63, PE- 80, PE-100

WAS H. D. P. E. PLB Ducts Pipes



Pipes

Grade

 Conforming to IS -TEC Spec. (GR/CDS-08/02 Nov.2004)

Product Range Usage 32mm to 50 mm
 Cable Ducting.

TIJARIA

Tijaria Polypipes Ltd.

Corp. Office: A-130 (E), Road No. 9-D, V.K.I. Area, JAIPUR (Raj.)
Ph.: 0141-2333722, 23, 25, 26 Fax: 91-141-2332342
E-mail: info@tijaria-pipes.com http://www.tijaria-pipes.com

Branches: Ahemadabad, Chennai, Hyderabad, Indore, Gwalior, Bhopal, Jabalpur, Lucknow

Dealer:			